



SECURE YOUR FLOW

**PRODUCT SOLUTION FOR YOUR
REFINERY, DOWNSTREAM,
AND OLEOCHEMICAL INDURSTRY**



AUTHORIZED AGENT / DISTRIBUTOR / STOCKIST :



STEAM EQUIPMENT



Steam



THERMODYNAMIC STEAM TRAP

Model : DT42/2
Connection : Screw NPT
Body Material : A216WCB / Carbon Steel
Disc/Seat Mat : Hardened St. Steel
Size : DN 15 to DN 25



Steam



BALL FLOAT STEAM TRAP

Model : FLT17
Connection : Flanged PN 16
Body Material : SG iron
Float/Seat Mat : SS304/ SS303
Auto. Air Vent : Stainless steel; Bimetallic
Size : DN 15 ~ DN 50



STEAM TRAP INVERTED BUCKET

Model : 1B - 12
Connection : Screw Female / Flange End
Body Material : SG Iron
Size : 1/2" - 2"



BIMETALLIC STEAM TRAP

Model : BM-87
Connection : Screw Female / Flange end Socket Weld/ Butt Weld
Body Material : Carbon Steel
Size : 1/2" - 1"

CONTROL VALVE



CONTROL VALVE

Model : V 16/2
Connection : Flange End
Body Material : SG Iron / Carbon Steel / Stainless Steel
Size : DN15 - DN150



Steam
Liquid



PRESSURE REDUCING VALVE

Model : RP-45S
Connection : PN16 - PN40
Body Material : A216WCB / Carbon Steel
Disc/Trim Material : Hardened St. Steel
Size : DN15 ~ DN150



STEAM & WATER MIXER

Model : MX 20
Connection : Screw
Body Material : CF8M
Size : 3/4" x 3/4"



CONDENSATE PUMP

Model : POPS
Connection : Flange End / Screw
Body Material : CS / SS
Size : DN 25x25 | 40x40 50x50 | 80x25



STEAM SEPARATOR

Model : KB
Connection : ANSI 300 | 600
Body Material : BS4360 | A516
Size : 4" - 10"



BLEACHING EARTH BUTTERFLY VALVE

Model : BV-10PW
Connection : ANSI 150 | PN 16
Body Material : A216-WCB
EPDM
Size : DN 80 - DN 250



FLEXIBLE JOINT

Model : BM100
Connection : Flange ANSI 150
Body Material : SS304 | SS316
Size : DN 50 - DN 300



EXPANSION JOINT

Model : BM400
Connection : SS304 | SS316
Body Material : Flange ANSI 150 | 300
Size : DN 50 - DN 500



SELF ACTING TEMP. CONTROL VALVE

Model : MIF/MIFBN
Connection : Flange end PN16
Body : GG25 - Cast Iron
Size : DN15 - DN100



STORAGE TANK AGITATOR

Model : 5057/5087
Connection : Flanged ANSI150
Body : SS316
Size : 8" - 10"



HIGH PERFORMANCE BALL VALVE

Model : 16i | 26i
Connection : Butt welded | Screw end
Body/Ball : A351-CF8M
Seat : Multifill | 33% Carbon Filled
Size : DN 15 - DN 150



BLANKETING VALVE

Model : BKV-N2
Connection : Flange PN/ANSI150
Body : WCB / SS304 / SS316
Size : 1/2" - 4"

VALVES



FLANGE BALL VALVE

Model : BV-202
Connection : ANSI 150 | 300
Body : A216-WCB
CF8 | CF8M
Trims : 13Cr | Stellite |
CF8 | CF8M
Size : 1/2" - 12"



FLANGE GATE VALVE

Model : GV-202
Connection : ANSI 150 | 300
Body : A216-WCB CF8 | CF8M
Trims : 13%Cr | Stellite
CF8 | CF8M
Size : 1/2" - 24"



SWING CHECK VALVE

Model : SC-209
Connection : ANSI 150 | 300
Body : A216-WCB
| CF8 | CF8M
Trims : 13Cr | Stellite
| CF8 | CF8M
Size : 1/2" - 24"



FLANGE GLOBE VALVE

Model : GBV-201
Connection : ANSI 150 | 300
Body : A216-WCB
| CF8 | CF8M
Trims : 13Cr | Stellite
| CF8 | CF8M
Size : 1/2" - 24"



BALL VALVE 3 PCS BODY

Model : BV-301
Connection : Butt or Socket
welded | Screw
Body & Ball : A351-CF8M
Seat : PTFE | 15% Glass
filled PTFE
Size : 1/4" - 4"



DISCO CHECK VALVE

Model : DC-207
Connection : Wafer PN 16/40
Body : A351-CF8M
Trims : SS316
Size : 1/2" - 12"



Y - STRAINER

Model : STV - 203F
Connection : ANSI 150 | 300
Body : A216-WCB
| CF8 | CF8M
Screen : SS316 mesh #20 #40
Size : 1/2" - 24"



FLANGE BUCKET STRAINER

Model : STV - 204B
Connection : ANSI 150
Body Material : A234 WPB
| SS304 | SS316
Screen : SS316 mesh #20 #40
Size : 2" - 24"

SPECIAL EQUIPMENT



PIG LAUNCHER & RECEIVER

Connection : Flange ANSI 150
Body : ASTM A106
| SS304 | SS316
Size : 8" - 12"



PIG SIGNAL | FOAM PIG

Model : TBA
Body Material : TBA



GLOBE VALVE BELOW SEAL

Model : GBV-202 BS
Connection : ANSI 150 | 300
| PN 16 | 40
Body Mat. : A216-WCB | GG25
| CF8 | CF8M
Trim : 13Cr | Stellite
| CF8 | CF8M
Size : 1/2" - 24"



BUTTERFLY VALVE

Model : BV-10
Connection : Wafer | ANSI150
| PN 16
Body : Cast Iron | CF8
CF8M
Trims : CF8 | CF8M
Size : 1-1/2" - 48"



BREATHER VALVE FLAME ARRESTER

Model : BR-VF
Connection : Flange ANSI 150
Body : A216-WCB
| CF8 | CF8M
Size : 2" - 12"



GAUGE HATCH

Model : GH
Connection : Flange ANSI 150
Body : A216-WCB
| CF8 | CF8M
Size : 2" - 12"



FLAME ARRESTER END LINE

Model : IDTFA
Connection : Flange ANSI150
Body : A216-WCB
| CF8 | CF8M
Size : 2" - 12"



BREATHER VALVE

Model : BR
Connection : Flange ANSI150
Body : A216-WCB
| CF8 | CF8M
Size : 2" - 12"

PRESSURE GAUGE

WIKA



PRESSURE GAUGE

Model : 232.50
Connection : 1/2" NPT/BSP Male
Range : As Data Sheet
Material : SS316/L
Size : 4" - 6"

WIKA



PRESSURE GAUGE SWITCH CONTACT

Model : PGS23
Connection : 1/2" NPT /BSP Male
Range : As Data Sheet
Material : SS316/L
Size : 4"

WIKA



PRESSURE TRANSMITTER

Model : S20
Connection : 1/2" NPT /BSP Male
Range : As Data Sheet
Material : 316/L

WIKA



DIAPHRAGM SEAL

Model : 990.34
Connection : 1/2" NPT /BSP Male
Size : 4" - 6"
Material : 316/L

TEMPERATURE GAUGE

WIKA



TEMPERATURE GAUGE

Model : A52 & R52
Connection : 1/2" NPT Male
Range : As Data Sheet
Material : 316/L
Size : 4" - 6"

WIKA



TEMPERATURE GAUGE

Model : S5551
Connection : 1/2" NPT Male
Range : As Data Sheet
Material : 316/L
Size : 4" - 6"

WIKA



RESISTANCE THERMOMETER

Model : TR-10
Connection : 1/2" NPT Male
Range : As Data Sheet
Material : Need Sizing

WIKA



THERMOWELL

Model : TW15, TW25
Connection : 1/2" NPT Male
Material : 316/L

CALIBRATION

WIKA



COMPARISON TEST PUMP

Model : CPP1000-X
Connection : G1/2
Range : As Data Sheet
Vacuum : As Data Sheet

WIKA



PORTABLE PROCESS CALIBRATION

Model : CPH7000
Connection : G 3/8B - 1/4 NPT
Range : As Data Sheet

WIKA



PORTABLE PROCESS CALIBRATION

Model : CPG1500
Connection : 1/2 NPT Male
Range : As Data Sheet
Material : 316/L
Size : 5"

WIKA



TEMPERATURE CALIBRATION

Model : CTD9100
Range : As Data Sheet

SUPERFLOW



OVAL GEAR OIL FLOWMETER

Model : PHLC
Body : Cast Iron
Gear : Cast Iron
Accuracy : 0.5%
Size : 1" - 6"

SUPERFLOW



MAGNETIC FLOWMETER

Model : KA-700
Body : Carbon steel
| SS304 | SS316
Liner : PTFE
Accuracy : 0.5%
Size : 1" - 48"

SUPERFLOW



MASS FLOWMETER

Model : KA-500
Body : SS316
Tube : SS316/L
Accuracy : 0.1%
Size : 1" - 12"


SUPERFLOW



VORTEX FLOWMETER

Model : KA-600
Sensing : SS316/L
Body : SS316
Accuracy : 0.25%
Size : 1" - 12"

TANK GAUGING EQUIPMENT



DESCRIPTION	TYPE	MATERIAL	SIZE	CONNECTION
1 BJMS - VTV Blanketing Valve	BKV-N2	WCB SS304 SS316	1/2" - 4"	PN ANSI 150#
2 BJMS - VTV Breather Valve	BR	A216 - WCB CF8 CF8M	2" - 12"	ANSI 150#
3 BJMS - VTV Swing Check Valve	SC-209	A216 - WCB CF8 CF8M	1/2" - 24"	ANSI 150#
4 BJMS - VTV Gate Valve	GV-202	A216 - WCB CF8 CF8M	1/2" - 24"	ANSI 150#
5 BJMS - VTV Tank Hatch Gauge	GH	A216 - WCB CF8 CF8M	2" - 12"	ANSI 150#
6 WIKA - Capsule Pressure Gauge	PG 612	SS316/L	4"	1/2" NPT/BSP Male
7 WIKA - Temperature Gauge + TW	A52.160 TW25	SS316/L	6"	1/2" NPT Male
8 CLORIUS - Temperature Control Valve	M1FBN	GG25/Cast Iron	1/2" - 4"	PN 16
9 BJMS - TRAP Ball Float	FLT-17	SG Iron	1/2" - 2"	PN 16
10 BJMS - VTV Globe Valve	GBV - 201	A216 - WCB CF8 CF8M	1/2" - 24"	ANSI 150# 300#
11 BJMS - VTV Strainer	STV - 203F	A216 - WCB	1/2" - 24"	ANSI 150# 300#
12 Mixtec Agitator	5057/5087	SS316	8" - 10"	ANSI 150#



8 HAL

Alasan kami di percayai
oleh pelanggan kami
dengan product berkualitas

Safety Packaging

Certify Technical Team

BERPENGALAMAN LEBIH DARI 15 TAHUN

Warehouse Management

6 Lines Assembly in House

Same Day - Fast Delivery

100% QA & QC test - Check

Manufacture Price

100% Traceability



CERTIFY TECHNICAL SUPPORT



100% TRACEABILITY



6 LINE ASSEMBLY



SAMEDAY DELIVERY



SAFETY PACKAGING

100% QUALITY ASSURANCE & CONTROL TESTED



PMI Test

(Positive Material Identification)



Test Bench

(Alat Penguji Kebocoran
pada valve s/d 400 barG)



Thickness Test

(Alat Penguji Ketebalan Valve)



Hardness Test

(Alat Penguji Kekerasan Valve)

MEDAN OFFICE / WAREHOUSE

Jl. Sangir Talaud I KIM IV, Pematang Johar
Labuhan Deli - Kabupaten Deli Serdang
Sumatera Utara 20373 Indonesia
Email : sales@bjmsgroup.com
Telp: 061 - 4273 1118, Fax : 061 - 4273 1119

JAKARTA OFFICE / WAREHOUSE

Jl. Daan Mogot, KM.18
Green Sedayu Bizpark Unit DM 5 No.2
Jakarta Barat 11840 Indonesia
Telp. : (021) 2252 2441, Fax : (021) 2252 2442



E-CATALOGUE



0811 - 6158 - 502



sales@bjmsgroup.com



bjmsonline



bjmsonline



bjmsonline



+62811 6158 502



www.bjmsgroup.com



www.bjmsonline.com



sales@bjmsgroup.com